

10/092,427

L Number	Hits	Search Text	DB	Time stamp
1	0	"10/092,427"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 10:48
2	3	Man-lin.in. and Chen.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 10:48
3	11	Hsien-Kuang.in. and Lin.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 10:48
4	0	Pa-Yen.in. and Lu.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 10:48
5	3	Wen-Kuo.in. and Weng.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 10:48
6	2	Chun-Neng.in. and Ku.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 10:49
7	15	(Man-lin.in. and Chen.in.) or (Hsien-Kuang.in. and Lin.in.) or (Wen-Kuo.in. and Weng.in.) or (Chun-Neng.in. and Ku.in.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 10:49
8	13	(insulating or insulate or postbake or pixel or electrode or light) and ((Man-lin.in. and Chen.in.) or (Hsien-Kuang.in. and Lin.in.) or (Wen-Kuo.in. and Weng.in.) or (Chun-Neng.in. and Ku.in.))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 10:53
9	115787	opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or 428/690.ccls. or 313/509.ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 10:54
10	166692	opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 10:56
11	200	(substrate adj3 transparent) and (electrode or cathode or anode) and (ITO or "indium tin" or "indium zinc" or IZO) and (pixel or plurality or multiple of plural or matrix or grid) and (insulate or insulated or insulating or insulative or dielectric) and (bank or raised or convex or concave or protruding or valley or gradient) and (hole adj3 (transport\$ or inject\$ or moving or passing)) and (light-emitting or emission or emissive or EL or electroluminesc\$ or luminescent or luminous or luminescence) and (electron adj3 (transport or transporting or moving or inject or injection or injecting))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 11:07

12	627	(substrate) and (electrode or cathode or anode) and (ITO or "indium tin" or "indium zinc" or IZO) and (pixel or plurality or multiple of plural or matrix or grid) and (insulate or insulated or insulating or insulative or dielectric) and (bank or raised or convex or concave or protruding or valley or gradient) and (hole adj3 (transport or injecting or injection or inject or transporting or transportation or moving or passing)) and (light-emitting or emission or emissive or EL or electroluminesc\$ or luminescent or luminous or luminescence) and (electron adj3 (transport or transporting or transportation or moving or inject or injection or injecting))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 11:07
13	596	((substrate) and (electrode or cathode or anode) and (ITO or "indium tin" or "indium zinc" or IZO) and (pixel or plurality or multiple of plural or matrix or grid) and (insulate or insulated or insulating or insulative or dielectric) and (bank or raised or convex or concave or protruding or valley or gradient) and (hole adj3 (transport or injecting or injection or inject or transporting or transportation or moving or passing)) and (light-emitting or emission or emissive or EL or electroluminesc\$ or luminescent or luminous or luminescence) and (electron adj3 (transport or transporting or transportation or moving or inject or injection or injecting))) and (opto-electronic or electro-optical or electroluminesc\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 11:07
14	446	(substrate with transparent) and (electrode or cathode or anode) and (ITO or "indium tin" or "indium zinc" or IZO) and (pixel or plurality or multiple of plural or matrix or grid) and (insulate or insulated or insulating or insulative or dielectric) and (bank or raised or convex or concave or protruding or valley or gradient) and (hole adj3 (transport\$ or inject\$ or moving or passing)) and (light-emitting or emission or emissive or EL or electroluminesc\$ or luminescent or luminous or luminescence) and (electron adj3 (transport or transporting or moving or inject or injection or injecting))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 11:08
15	446	(substrate with transparent) and (electrode or cathode or anode) and (ITO or "indium tin" or "indium zinc" or IZO) and (pixel or plurality or striped or stripe or multiple of plural or matrix or grid) and (insulate or insulated or insulating or insulative or dielectric) and (bank or raised or convex or concave or protruding or valley or gradient) and (hole adj3 (transport\$ or inject\$ or moving or passing)) and (light-emitting or emission or emissive or EL or electroluminesc\$ or luminescent or luminous or luminescence) and (electron adj3 (transport or transporting or moving or inject or injection or injecting))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 11:09

16	423	((substrate with transparent) and (electrode or cathode or anode) and (ITO or "indium tin" or "indium zinc" or IZO) and (pixel or plurality or striped or stripe or multiple of plural or matrix or grid) and (insulate or insulated or insulating or insulative or dielectric) and (bank or raised or convex or concave or protruding or valley or gradient) and (hole adj3 (transport\$ or inject\$ or moving or passing)) and (light-emitting or emission or emissive or EL or electroluminesc\$ or luminescent or luminous or luminescence) and (electron adj3 (transport or transporting or moving or inject or injection or injecting))) and (opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 11:10
17	74321	(insulating or insulative or insulation or dielectric or filler or spacer) and phenolic and (photoactive or photosensitive or photocurable or photo-curable or light-sensitive) or (light adj3 sensitive) or uv-curable or uv-active and (thermosetting or formaldehyde or melamine or benzoquanamine) and catalyst and solvent and (adhesive or adhesion or polymer or resin or epoxy)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 15:40
18	5905	((insulating or insulative or insulation or dielectric or filler or spacer) and phenolic and (photoactive or photosensitive or photocurable or photo-curable or light-sensitive) or (light adj3 sensitive) or uv-curable or uv-active and (thermosetting or formaldehyde or melamine or benzoquanamine) and catalyst and solvent and (adhesive or adhesion or polymer or resin or epoxy)) and (opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 12:04
19	34	((insulating or insulative or insulation or dielectric or filler or spacer) and phenolic and (photoactive or photosensitive or photocurable or photo-curable or light-sensitive) or (light adj3 sensitive) or uv-curable or uv-active and (thermosetting or formaldehyde or melamine or benzoquanamine) and catalyst and solvent and (adhesive or adhesion or polymer or resin or epoxy)) and (opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls)) and ((substrate with transparent) and (electrode or cathode or anode) and (ITO or "indium tin" or "indium zinc" or IZO) and (pixel or plurality or striped or stripe or multiple of plural or matrix or grid) and (insulate or insulated or insulating or insulative or dielectric) and (bank or raised or convex or concave or protruding or valley or gradient) and (hole adj3 (transport\$ or inject\$ or moving or passing)) and (light-emitting or emission or emissive or EL or electroluminesc\$ or luminescent or luminous or luminescence) and (electron adj3 (transport or transporting or moving or inject or injection or injecting)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 12:49

20	412	<p>((substrate with transparent) and (electrode or cathode or anode) and (ITO or "indium tin" or "indium zinc" or IZO) and (pixel or plurality or striped or stripe or multiple of plural or matrix or grid) and (insulate or insulated or insulating or insulative or dielectric) and (bank or raised or convex or concave or protruding or valley or gradient) and (hole adj3 (transport\$ or inject\$ or moving or passing)) and (light-emitting or emission or emissive or EL or electroluminesc\$ or luminescent or luminous or luminescence) and (electron adj3 (transport or transporting or moving or inject or injection or injecting)))) not (((insulating or insulative or insulation or dielectric or filler or spacer) and phenolic and (photoactive or photosensitive or photocurable or photo-curable or light-sensitive) or (light adj3 sensitive) or uv-curable or uv-active and (thermosetting or formaldehyde or melamine or benzoquanamine) and catalyst and solvent and (adhesive or adhesion or polymer or resin or epoxy)) and (opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls)) and ((substrate with transparent) and (electrode or cathode or anode) and (ITO or "indium tin" or "indium zinc" or IZO) and (pixel or plurality or striped or stripe or multiple of plural or matrix or grid) and (insulate or insulated or insulating or insulative or dielectric) and (bank or raised or convex or concave or protruding or valley or gradient) and (hole adj3 (transport\$ or inject\$ or moving or passing)) and (light-emitting or emission or emissive or EL or electroluminesc\$ or luminescent or luminous or luminescence) and (electron adj3 (transport or transporting or moving or inject or injection or injecting))))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 12:49
----	-----	---	---	------------------

21	390	(((substrate with transparent) and (electrode or cathode or anode) and (ITO or "indium tin" or "indium zinc" or IZO) and (pixel or plurality or striped or stripe or multiple of plural or matrix or grid) and (insulate or insulated or insulating or insulative or dielectric) and (bank or raised or convex or concave or protruding or valley-or gradient) and (hole adj3 (transport\$ or inject\$ or moving or passing)) and (light-emitting or emission or emissive or EL or electroluminesc\$ or luminescent or luminous or luminescence) and (electron adj3 (transport or transporting or moving or inject or injection or injecting))) not (((insulating or insulative or insulation or dielectric or filler or spacer) and phenolic and (photoactive or photosensitive or photocurable or photo-curable or light-sensitive) or (light adj3 sensitive) or uv-curable or uv-active and (thermosetting or formaldehyde or melamine or benzoquanamine) and catalyst and solvent and (adhesive or adhesion or polymer or resin or epoxy)) and (opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls)) and ((substrate with transparent) and (electrode or cathode or anode) and (ITO or "indium tin" or "indium zinc" or IZO) and (pixel or plurality or striped or stripe or multiple of plural or matrix or grid) and (insulate or insulated or insulating or insulative or dielectric) and (bank or raised or convex or concave or protruding or valley or gradient) and (hole adj3 (transport\$ or inject\$ or moving or passing)) and (light-emitting or emission or emissive or EL or electroluminesc\$ or luminescent or luminous or luminescence) and (electron adj3 (transport or transporting or moving or inject or injection or injecting)))) and (electrolumine\$ or oled or EL)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 12:50
----	-----	--	---	------------------

22	100	(concave or rounded or ball or convex or concave-convex or convex-concave) and (((substrate with transparent) and (electrode or cathode or anode) and (ITO or "indium tin" or "indium zinc" or IZO) and (pixel or plurality or striped or stripe or multiple of plural or matrix or grid) and (insulate or insulated or insulating or insulative or dielectric) and (bank or raised or convex or concave or protruding or valley or gradient) and (hole adj3 (transport\$ or inject\$ or moving or passing)) and (light-emitting or emission or emissive or EL or electroluminesc\$ or luminescent or luminous or luminescence) and (electron adj3 (transport or transporting or moving or inject or injection or injecting))) not (((insulating or insulative or insulation or dielectric or filler or spacer) and phenolic and (photoactive or photosensitive or photocurable or photo-curable or light-sensitive) or (light adj3 sensitive) or uv-curable or uv-active and (thermosetting or formaldehyde or melamine or benzoquanamine) and catalyst and solvent and (adhesive or adhesion or polymer or resin or epoxy)) and (opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls)) and ((substrate with transparent) and (electrode or cathode or anode) and (ITO or "indium tin" or "indium zinc" or IZO) and (pixel or plurality or striped or stripe or multiple of plural or matrix or grid) and (insulate or insulated or insulating or insulative or dielectric) and (bank or raised or convex or concave or protruding or valley or gradient) and (hole adj3 (transport\$ or inject\$ or moving or passing)) and (light-emitting or emission or emissive or EL or electroluminesc\$ or luminescent or luminous or luminescence) and (electron adj3 (transport or transporting or moving or inject or injection or injecting)))) and (electrolumines\$ or oled or EL))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 13:59
23	10	(((substrate) and (electrode or cathode or anode) and (ITO or "indium tin" or "indium zinc" or IZO) and (pixel or plurality or multiple of plural or matrix or grid) and (insulate or insulated or insulating or insulative or dielectric) and (bank or raised or convex or concave or protruding or valley or gradient) and (hole adj3 (transport or injecting or injection or inject or transporting or transportation or moving or passing)) and (light-emitting or emission or emissive or EL or electroluminesc\$ or luminescent or luminous or luminescence) and (electron adj3 (transport or transporting or transportation or moving or inject or injection or injecting))) and (opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls)) and trapezoidal	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 14:04

24	3511	(trapezoid or overhang or overhanging or trapezoidal) and (opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 14:05
25	482	(concave or convex) and ((trapezoid or overhang or overhanging or trapezoidal) and (opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 14:05
26	51	((concave or convex) and ((trapezoid or overhang or overhanging or trapezoidal) and (opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls))) and ((insulating or insulative or insulation or dielectric or filler or spacer) and phenolic and (photoactive or photosensitive or photocurable or photo-curable or light-sensitive) or (light adj3 sensitive) or uv-curable or uv-active and (thermosetting or formaldehyde or melamine or benzoquanamine) and catalyst and solvent and (adhesive or adhesion or polymer or resin or epoxy))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 14:09
27	295	((concave or convex) with (striped or pixel or strip)) and (opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 14:09
28	175	(insulating or insulative or insulation or dielectric or filler or spacer) and (((concave or convex) with (striped or pixel or strip)) and (opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 14:17
29	37	postbake and ((insulating or insulative or insulation or dielectric or filler or spacer) and phenolic and (photoactive or photosensitive or photocurable or photo-curable or light-sensitive) or (light adj3 sensitive) or uv-curable or uv-active and (thermosetting or formaldehyde or melamine or benzoquanamine) and catalyst and solvent and (adhesive or adhesion or polymer or resin or epoxy))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 14:57
30	12	6280273.pn. or 6091078.pn. or "20020185967" or "20020079832" or "20020003402" or 6580212.pn. or 5994836.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 14:58
31	3303	((insulating or insulative or insulation or dielectric or filler or spacer) and phenolic and (photoactive or photosensitive or photocurable or photo-curable or light-sensitive) or (light adj3 sensitive) or uv-curable or uv-active and (thermosetting or formaldehyde or melamine or benzoquanamine) and catalyst and solvent and (adhesive or adhesion or polymer or resin or epoxy)) and photoresist and composition	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 15:39

32	1184	(insulating or insulative or insulation or dielectric or filler or spacer) and phenolic and (photoactive or photosensitive or photocurable or photo-curable or light-sensitive or (light adj3 sensitive) or uv-curable or uv-active) and (thermosetting or formaldehyde or melamine or benzoquanamine) and catalyst and solvent and (adhesive or adhesion or polymer or resin or epoxy)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 17:11
33	331	((insulating or insulative or insulation or dielectric or filler or spacer) and phenolic and (photoactive or photosensitive or photocurable or photo-curable or light-sensitive or (light adj3 sensitive) or uv-curable or uv-active) and (thermosetting or formaldehyde or melamine or benzoquanamine) and catalyst and solvent and (adhesive or adhesion or polymer or resin or epoxy)) and (((insulating or insulative or insulation or dielectric or filler or spacer) and phenolic and (photoactive or photosensitive or photocurable or photo-curable or light-sensitive) or (light adj3 sensitive) or uv-curable or uv-active and (thermosetting or formaldehyde or melamine or benzoquanamine) and catalyst and solvent and (adhesive or adhesion or polymer or resin or epoxy)) and photoresist and composition)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 15:47
34	8	pac and (((insulating or insulative or insulation or dielectric or filler or spacer) and phenolic and (photoactive or photosensitive or photocurable or photo-curable or light-sensitive or (light adj3 sensitive) or uv-curable or uv-active) and (thermosetting or formaldehyde or melamine or benzoquanamine) and catalyst and solvent and (adhesive or adhesion or polymer or resin or epoxy)) and (((insulating or insulative or insulation or dielectric or filler or spacer) and phenolic and (photoactive or photosensitive or photocurable or photo-curable or light-sensitive) or (light adj3 sensitive) or uv-curable or uv-active and (thermosetting or formaldehyde or melamine or benzoquanamine) and catalyst and solvent and (adhesive or adhesion or polymer or resin or epoxy)) and photoresist and composition))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 15:51
35	67	positive and phenolic and (photoactive or pac) and thermosetting and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 18:12
36	1408	bank with pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 17:10
37	372	(opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls) and (bank with pixel)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 17:11
39	4	6222315.pn. or 5994836.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 17:12

38	311	(insulating or insulative or insulation or dielectric or filler or spacer) and ((opto-electronic or electro-optical or electrolumines\$ or OLED or luminescent or light-emitting or 428/690.ccls. or 313/509.ccls) and (bank with pixel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 17:56
40	2	"20030064320"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 17:59
41	2	"2002287339"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 18:00
42	9	"1265103"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 18:00
43	20	(positive and phenolic and (photoactive or pac) and thermosetting and solvent) and (melamine or benzoquanamine or glycoluril)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 18:09
44	158	positive and phenolic and (photoactive or pac) and melamine and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 18:13
45	126	photoresist and (positive and phenolic and (photoactive or pac) and melamine and solvent)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/22 18:13